





Appliance for treating drinking water for domestic and industrial use automatic self-cleaning filter

**FILTERING CARTRIDGE
IN AISI 304 STAINLESS STEEL**
Micron rating 100-150-200 micron




CLEANING MANOEUVRE



Turn the knob clockwise until clean. Micrometric filter (semi-automatic and/or automatic) is suitable for filtering water and eliminating suspended particles. The filter is entirely made with quality materials in accordance with the standard norms (ministerial decree No 443/90).

Each turn brushes and discharges

SEMI-AUTOMATIC MODEL




bravomax

TECHNICAL FEATURES


FITTINGS		1"1/2M	2"M	2"1/2M	3"M
Recommended flow rate	m3/h	14	20	25	35
Max working pressure	BAR	10	10	10	10
Max working temperature		80°C	80°C	80°C	80°C
Micron rating	micron	150-200	150-200	150-200	150-200
Pressure drop	BAR	0,2	0,2	0,2	0,2
Water consumption (automatic)	l	8/10	8/10	8/10	8/10
Voltage		220V-24V-50Hz/10VA			

The BravoMax® and Bravo Max/A® filter is supplied with gauges and attachments : 1/1/2", 2/1/2", 3". Upon request, the following attachments with flanges can be supplied: 2", 2/1/2", 3".



MODEL BRAVOMAX® SEMI-AUTOMATIC


COD	INLET/OUTLET	DIMENSIONS			QUANTITY box	VOLUME package	Kgs
		A	B	C			
A8010260	1"1/2M	280	130	380	1	0,104	5
A8010270	2"M	280	130	380	1	0,104	5,3
A8010280	2"1/2M	310	150	470	1	0,104	7,2
A8010250	3"M	310	150	470	1	0,104	9



MODEL BRAVOMAX® AUTOMATIC

COD	INLET/OUTLET	DIMENSIONS			QUANTITY box	VOLUME package	Kgs
		A1	B1	C1			
A8010290	1"1/2M	280	220	380	1	0,104	7,2
A8010240	2"M	280	220	380	1	0,104	7,5
A8010300	2"1/2M	310	240	470	1	0,104	10
A8010310	3"M	310	240	470	1	0,104	13

INSTALLATION DIAGRAM



- A Water inlet
- B By-pass
- C Cut off valves
- D Filter
- E Discharge

PROSEP FILTER SYSTEMS LTD
Unit G19
River Bank Way
Lowfields Business Park
Elland
West Yorkshire
HX5 9DN


Tel: 01422 377367

Fax: 01422 377369

Email: enquiries@prosep.co.uk

www.prosep.co.uk

Map and Directions to Prosep Filters Limited



Leave M62 at Junction 24.

At roundabout adjacent to Cedar Court Hotel take 2nd exit onto dual carriageway (A629), signposted Halifax.

Take 1st exit slip road.

At roundabout at end of sliproad, take 3rd exit off.

This is the entrance to Lowfields Business Park.

Proceed straight over 1st roundabout.

At next roundabout take 2nd exit onto River Bank Way - Prosep Filters can be found on the left after the S-bend.

[Link to Google Maps](#)